

NOFIRNO FIRE SAFE BOARD

Safety Data Sheet

	1. Identification of Substance & Company
Product	
Product name	NOFIRNO FIRE SAFE BOARD
Other names	NA
Product codes	NA
HSNO approval	NA - non hazardous
Approval description	NA
UN number	NA
DG class	NA
Proper Shipping Name	NA
Packaging group	NA
Hazchem code	NA
Uses	Board with fire safe coating
Company Details	
Company	Beele Australasia Itd
Address	Unit D
	156 Bush Road
	Rosedale,
	Auckland 0632
	New Zealand
Telephone	+64 9 447 1728
Website	www.beele.co.nz
	2. Hazard Identification
Approval in New Zealand	
This product is not considered ha	azardous under the Hazardous Substances and New Organisms Act (HSNO).
Classes	Hazard Statements
none	
SYMBOLS	
none	
Other Classification	
There are no other elacsifications	that are known to apply

There are no other classifications that are known to apply. **Precautionary Statements** none

3.

Composition / Information on Ingredients

Component	CAS/ Identification	Conc (%)
Acrylic polymer with fire retardant fillers on Rockwool board.	mixture	100%
This is a commercial product whose exact ratio of components may vary	. Trace quantities of impurities a	are also likely.

ιy ł

4.

First Aid

General Information

August 2019

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been harmed or irritated by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency service).

Recommended first aid facilities	Ready access to running water is recommended.
Exposure	
Swallowed	The product is not considered harmful if swallowed. In case of persistent symptoms, contact the National Poisons Centre or a Doctor.
Eye contact	If product gets in eyes, wash material from them with running water for several minutes. If symptoms persist, seek medical advice.
Skin contact	This product is non-irritating to skin. No further measures should be required.
Inhaled	Generally, inhalation of vapours/dusts is unlikely to result in adverse health effects. If coughing, dizziness or shortness of breath is experienced, remove the patient to fresh air immediately. If patient is unconscious, place in the recovery position (on the side) for transport and contact a doctor.
Advice to Doctor	
Treat symptomatically	
Page 1 of 5	



NOFIRNO FIRE SAFE BOARD Safety Data Sheet

	5. Firefighting Measures
Fire and explosion hazards: Suitable extinguishing substances:	There are no specific risks for fire/explosion for this chemical. It is non-flammable. Carbon dioxide, extinguishing powder or water jet. Fight larger fires with water jet or alcohol resistant foam.
Unsuitable extinguishing substances:	Unknown.
Products of combustion:	Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water. May form toxic mixtures in air and may accumulate in sumps, pits and other low-lying spaces, forming potentially explosive mixtures.
Protective equipment: Hazchem code:	No special measures are required. NA
	6. Accidental Release Measures
Containment Emergency procedures	In all cases design storage to prevent discharge to storm water. If a significant spill occurs: Stop leak if safe/necessary; Isolate area. Collect spill – see below; Transfer to container
Clean-up method	for disposal. Dispose of according to guidelines below (Section 13). Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or waterways has occurred advise local emergency services.
Disposal	Collect recoverable material into labelled containers for recycling or salvage. Recycle wherever possible. This material may be suitable for approved landfill. Dispose of only in
Precautions	accord with all regulations. No special protective clothing is normally necessary.
	7. Storage & Handling
Storage	Avoid storage of harmful substances with food. Keep from extreme heat and open flames. Avoid contact with incompatible substances as listed in Section 10.
Handling	Keep exposure to a minimum, and minimise the quantities kept in work areas. See section 8 with regard to personal protective equipment requirements.
8.	Exposure Controls / Personal Protective Equipment
Workplace Exposure Standards A workplace exposure standard (W	
Workplace Exposure StandardsA workplace exposure standard (W3mg/m³ for respirable particulatesNZ WorkplaceIngredient	Exposure Controls / Personal Protective Equipment /ES) has not been established by WorkSafe NZ for this product. There is a general limit of and 10mg/m ³ for inhalable particulates when limits have not otherwise been established.
Workplace Exposure StandardsA workplace exposure standard (W3mg/m³ for respirable particulatesNZ WorkplaceIngredienExposure StdsNo ingredEngineering ControlsIn industrial situations, it is expectedbelow the WES as practicable by athe Health and Safety at Work (Geprocess modification, use of local eborne concentrations of mists, dust	Exposure Controls / Personal Protective Equipment VES) has not been established by WorkSafe NZ for this product. There is a general limit of and 10mg/m³ for inhalable particulates when limits have not otherwise been established. t WES-TWA*
Workplace Exposure StandardsA workplace exposure standard (W3mg/m³ for respirable particulatesNZ WorkplaceIngredienExposure StdsNo ingredEngineering ControlsIn industrial situations, it is expectedbelow the WES as practicable by athe Health and Safety at Work (Geprocess modification, use of local eborne concentrations of mists, dusPersonal Protective Equipment	Exposure Controls / Personal Protective Equipment /ES) has not been established by WorkSafe NZ for this product. There is a general limit of and 10mg/m³ for inhalable particulates when limits have not otherwise been established. Image: Im
Workplace Exposure StandardsA workplace exposure standard (W3mg/m³ for respirable particulatesNZ WorkplaceIngredienExposure StdsNo ingredEngineering ControlsIn industrial situations, it is expectedbelow the WES as practicable by athe Health and Safety at Work (Geprocess modification, use of local eborne concentrations of mists, dust	Exposure Controls / Personal Protective Equipment //ES) has not been established by WorkSafe NZ for this product. There is a general limit of and 10mg/m³ for inhalable particulates when limits have not otherwise been established. ///////////////////////////////////
Workplace Exposure Standards A workplace exposure standard (W 3mg/m³ for respirable particulates NZ Workplace Ingredien Exposure Stds No ingred Engineering Controls In industrial situations, it is expected below the WES as practicable by a the Health and Safety at Work (Ge process modification, use of local e borne concentrations of mists, dus Personal Protective Equipment Eyes	Exposure Controls / Personal Protective Equipment //ES) has not been established by WorkSafe NZ for this product. There is a general limit of and 10mg/m³ for inhalable particulates when limits have not otherwise been established. WES-TWA* WES-TWA* WES-STEL ients listed west-state west-state west-state west-state WES-TWA* WES-STEL ients listed west-state
Workplace Exposure Standards A workplace exposure standard (W 3mg/m³ for respirable particulates NZ Workplace Ingredien Exposure Stds No ingred Engineering Controls In industrial situations, it is expected below the WES as practicable by a the Health and Safety at Work (Ge process modification, use of local e borne concentrations of mists, dus Personal Protective Equipment Eyes Skin	Exposure Controls / Personal Protective Equipment /// / / / / / / / / / / / / / / / / /



		9. Physical & Chemical Properties
Appearan	nce	Board with coating, terracotta colour
Odour		No odour
pH		no data
Vapour p	ressure	no data
Viscosity		no data
Boiling p		no data
Volatile n		no data
	/ melting point	no data
Solubility		insoluble
	gravity / density	0.2 g/cm ³ at 23°C
Flash poi		no data
Flammab		LOI index = 40%
	f explosion	not explosive
	tion temperature	no data
	lower flammable limits	no data
Corrosive	eness	non corrosive
		10. Stability & Reactivity
Stability		Stable
Condition	ns to be avoided	Keep from extreme heat and open flames. Do not freeze the product.
	tible groups	none known
	e Specific	none known
Incompat		
	is decomposition	none known
products		
Hazardou	is reactions	none known
		11. Toxicological Information
Summary		
IF SWALL	OWED: no known effect	•
	S: not irritating.	
IF ON SK	IN: does not result in skir	n irritation.
IF INHALE	ED: no known effects.	
Supportin		
Supportin	ng Data	
Acute	ng Data Oral	Using LD ₅₀ 's for ingredients, the estimatedLD ₅₀ (oral, rat) for the mixture is $>5,000$ mg/kg.
	-	Using LD ₅₀ 's for ingredients, the estimatedLD ₅₀ (oral, rat) for the mixture is >5,000 mg/kg. Using LD ₅₀ 's for ingredients, the estimated LD ₅₀ (dermal, rat) for the mixture is >5000
	Oral	
	Oral	Using LD ₅₀ 's for ingredients, the estimated LD ₅₀ (dermal, rat) for the mixture is >5000 mg/kg. Using LC ₅₀ 's for ingredients, the calculated LC ₅₀ (inhalation, rat) for the mixture is
	Oral Dermal Inhaled	Using LD ₅₀ 's for ingredients, the estimated LD ₅₀ (dermal, rat) for the mixture is >5000 mg/kg. Using LC ₅₀ 's for ingredients, the calculated LC ₅₀ (inhalation, rat) for the mixture is $>5mg/L$.
	Oral Dermal Inhaled Eye	Using LD ₅₀ 's for ingredients, the estimated LD ₅₀ (dermal, rat) for the mixture is >5000 mg/kg. Using LC ₅₀ 's for ingredients, the calculated LC ₅₀ (inhalation, rat) for the mixture is $>5mg/L$. The mixture is not considered to be an eye irritant.
Acute	Oral Dermal Inhaled Eye Skin	Using LD ₅₀ 's for ingredients, the estimated LD ₅₀ (dermal, rat) for the mixture is >5000 mg/kg. Using LC ₅₀ 's for ingredients, the calculated LC ₅₀ (inhalation, rat) for the mixture is $>5mg/L$. The mixture is not considered to be an eye irritant. The mixture is not considered to be a skin irritant.
	Oral Dermal Inhaled Eye Skin Sensitisation	Using LD ₅₀ 's for ingredients, the estimated LD ₅₀ (dermal, rat) for the mixture is >5000 mg/kg. Using LC ₅₀ 's for ingredients, the calculated LC ₅₀ (inhalation, rat) for the mixture is $>5mg/L$. The mixture is not considered to be an eye irritant. The mixture is not considered to be a skin irritant. No ingredient present at concentrations > 0.1% is considered a sensitizer.
Acute	Oral Dermal Inhaled Eye Skin Sensitisation Mutagenicity	Using LD ₅₀ 's for ingredients, the estimated LD ₅₀ (dermal, rat) for the mixture is >5000 mg/kg. Using LC ₅₀ 's for ingredients, the calculated LC ₅₀ (inhalation, rat) for the mixture is >5mg/L. The mixture is not considered to be an eye irritant. The mixture is not considered to be a skin irritant. No ingredient present at concentrations > 0.1% is considered a sensitizer. No ingredient present at concentrations > 0.1% is considered a mutagen.
Acute	Oral Dermal Inhaled Eye Skin Sensitisation Mutagenicity Carcinogenicity	Using LD ₅₀ 's for ingredients, the estimated LD ₅₀ (dermal, rat) for the mixture is >5000 mg/kg. Using LC ₅₀ 's for ingredients, the calculated LC ₅₀ (inhalation, rat) for the mixture is $>5mg/L$. The mixture is not considered to be an eye irritant. The mixture is not considered to be a skin irritant. No ingredient present at concentrations > 0.1% is considered a sensitizer. No ingredient present at concentrations > 0.1% is considered a mutagen. No ingredient present at concentrations > 0.1% is considered a carcinogen.
Acute	Oral Dermal Inhaled Eye Skin Sensitisation Mutagenicity Carcinogenicity Reproductive /	Using LD ₅₀ 's for ingredients, the estimated LD ₅₀ (dermal, rat) for the mixture is >5000 mg/kg. Using LC ₅₀ 's for ingredients, the calculated LC ₅₀ (inhalation, rat) for the mixture is $>5mg/L$. The mixture is not considered to be an eye irritant. The mixture is not considered to be a skin irritant. No ingredient present at concentrations > 0.1% is considered a sensitizer. No ingredient present at concentrations > 0.1% is considered a mutagen. No ingredient present at concentrations > 0.1% is considered a carcinogen. No ingredient present at concentrations > 0.1% is considered a reproductive or
Acute	Oral Dermal Inhaled Eye Skin Sensitisation Mutagenicity Carcinogenicity Reproductive / Developmental	Using LD ₅₀ 's for ingredients, the estimated LD ₅₀ (dermal, rat) for the mixture is >5000 mg/kg. Using LC ₅₀ 's for ingredients, the calculated LC ₅₀ (inhalation, rat) for the mixture is $>5mg/L$. The mixture is not considered to be an eye irritant. The mixture is not considered to be a skin irritant. No ingredient present at concentrations > 0.1% is considered a sensitizer. No ingredient present at concentrations > 0.1% is considered a mutagen. No ingredient present at concentrations > 0.1% is considered a carcinogen. No ingredient present at concentrations > 0.1% is considered a reproductive or developmental toxicant or have any effects on or via lactation.
Acute	Oral Dermal Inhaled Eye Skin Sensitisation Mutagenicity Carcinogenicity Reproductive / Developmental Systemic	Using LD ₅₀ 's for ingredients, the estimated LD ₅₀ (dermal, rat) for the mixture is >5000 mg/kg. Using LC ₅₀ 's for ingredients, the calculated LC ₅₀ (inhalation, rat) for the mixture is $>5mg/L$. The mixture is not considered to be an eye irritant. The mixture is not considered to be a skin irritant. No ingredient present at concentrations > 0.1% is considered a sensitizer. No ingredient present at concentrations > 0.1% is considered a mutagen. No ingredient present at concentrations > 0.1% is considered a carcinogen. No ingredient present at concentrations > 0.1% is considered a reproductive or developmental toxicant or have any effects on or via lactation. No ingredient present at concentrations > 1% is considered a target organ toxicant.
Acute	Oral Dermal Inhaled Eye Skin Sensitisation Mutagenicity Carcinogenicity Reproductive / Developmental Systemic Aggravation of	Using LD ₅₀ 's for ingredients, the estimated LD ₅₀ (dermal, rat) for the mixture is >5000 mg/kg. Using LC ₅₀ 's for ingredients, the calculated LC ₅₀ (inhalation, rat) for the mixture is $>5mg/L$. The mixture is not considered to be an eye irritant. The mixture is not considered to be a skin irritant. No ingredient present at concentrations > 0.1% is considered a sensitizer. No ingredient present at concentrations > 0.1% is considered a mutagen. No ingredient present at concentrations > 0.1% is considered a carcinogen. No ingredient present at concentrations > 0.1% is considered a reproductive or developmental toxicant or have any effects on or via lactation.
Acute	Oral Dermal Inhaled Eye Skin Sensitisation Mutagenicity Carcinogenicity Reproductive / Developmental Systemic	Using LD ₅₀ 's for ingredients, the estimated LD ₅₀ (dermal, rat) for the mixture is >5000 mg/kg. Using LC ₅₀ 's for ingredients, the calculated LC ₅₀ (inhalation, rat) for the mixture is $>5mg/L$. The mixture is not considered to be an eye irritant. The mixture is not considered to be a skin irritant. No ingredient present at concentrations > 0.1% is considered a sensitizer. No ingredient present at concentrations > 0.1% is considered a mutagen. No ingredient present at concentrations > 0.1% is considered a carcinogen. No ingredient present at concentrations > 0.1% is considered a reproductive or developmental toxicant or have any effects on or via lactation. No ingredient present at concentrations > 1% is considered a target organ toxicant.
Acute	Oral Dermal Inhaled Eye Skin Sensitisation Mutagenicity Carcinogenicity Reproductive / Developmental Systemic Aggravation of	Using LD ₅₀ 's for ingredients, the estimated LD ₅₀ (dermal, rat) for the mixture is >5000 mg/kg. Using LC ₅₀ 's for ingredients, the calculated LC ₅₀ (inhalation, rat) for the mixture is $>5mg/L$. The mixture is not considered to be an eye irritant. The mixture is not considered to be a skin irritant. No ingredient present at concentrations > 0.1% is considered a sensitizer. No ingredient present at concentrations > 0.1% is considered a mutagen. No ingredient present at concentrations > 0.1% is considered a carcinogen. No ingredient present at concentrations > 0.1% is considered a reproductive or developmental toxicant or have any effects on or via lactation. No ingredient present at concentrations > 1% is considered a target organ toxicant. No ingredient present at concentrations > 1% is considered a target organ toxicant. No ingredient present at concentrations > 1% is considered a target organ toxicant.
Acute	Oral Dermal Inhaled Eye Skin Sensitisation Mutagenicity Carcinogenicity Reproductive / Developmental Systemic Aggravation of	Using LD ₅₀ 's for ingredients, the estimated LD ₅₀ (dermal, rat) for the mixture is >5000 mg/kg. Using LC ₅₀ 's for ingredients, the calculated LC ₅₀ (inhalation, rat) for the mixture is $>5mg/L$. The mixture is not considered to be an eye irritant. The mixture is not considered to be a skin irritant. No ingredient present at concentrations > 0.1% is considered a sensitizer. No ingredient present at concentrations > 0.1% is considered a mutagen. No ingredient present at concentrations > 0.1% is considered a carcinogen. No ingredient present at concentrations > 0.1% is considered a reproductive or developmental toxicant or have any effects on or via lactation. No ingredient present at concentrations > 1% is considered a target organ toxicant.

Summary This mixture is not considered ecotoxic. In all cases prevent run-off to drains, sewers and waterways.

Supporting Data	
Aquatic	Using EC ₅₀ 's for ingredients, the estimated EC ₅₀ for the mixture is > 100 mg/L.
Bioaccumulation	No data
Degradability	No data
Soil	No evidence of soil toxicity.
Terrestrial vertebrate	Not considered ecotoxic towards terrestrial vertebrates (see acute toxicity)
Terrestrial invertebrate	No evidence of toxicity towards terrestrial invertebrates.
Biocidal	no data



NOFIRNO FIRE SAFE BOARD

Safety Data Sheet

	13. Disposal Considerations	
Restrictions	There are no product-specific restrictions, how	
Disposal method	conditions may apply, including requirements Disposal of this product must comply with the	
	2017 and the requirements of the Resource N	
Contominated a calconing	be sought from the Regional Authority.	
Contaminated packaging	Disposal of contaminated packaging must con (Disposal) Notice 2017 clause 12. Ensure that	
	containing any substance and is disposed in a	a manner that is consistent with the
	requirements of the substance it contained ar	nd the material of the package. If possible
	reuse or recycle packaging.	
	14. Transport Information	
Land Transport Rule: Dangerous	Goods 2005 - NZS 5433:2007	
	this product (not a dangerous good).	
UN number: NA Class(es) NA	Proper shipping name: Packing group:	NA NA
Precautions: NA	Hazchem code:	NA
	15. Regulatory Information	
	dous under the Hazardous Substances and N ealand Inventory of Chemicals NZIoC.	lew Organisms Act (HSNO).
Specific Controls		
Key workplace requirements are:		
SDS	Not required (non hazardous), but best pr	
Inventory	An inventory of all hazardous substances	
Packaging	All hazardous substances should be appr	
	that have been decanted, transferred or n supplied	nanutactured for own use or have been
Labelling	Must comply with the Hazardous Substan	ces (Labelling) Notice 2017.
Emergency plan	Not required.	
Certified handler	Not required.	
Tracking	Not required.	
Bunding & secondary containment	Not required.	
Signage	Not required.	
Location compliance certificate	Not required.	
	. tot i oquin oui	
Flammable zone	Not required. Not required.	

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.

	16. Other Information
Abbreviations	
Approval Code	not applicable – non hazardous.
CAS Number	Unique Chemical Abstracts Service Registry Number
EC ₅₀	Ecotoxic Concentration 50% – concentration in water which is fatal to 50% of a test
	population (e.g. daphnia, fish species)
EPA	Environmental Protection Authority (New Zealand)
GHS	Globally Harmonised System of Classification and Labelling of Chemicals
HAZCHEM Code	Emergency action code of numbers and letters that provide information to emergency services, especially fire fighters
HSNO	Hazardous Substances and New Organisms (Act and Regulations)
IARC	International Agency for Research on Cancer
LEL/UEL	Lower Explosive Limit/ Upper Explosive Limit
LD ₅₀	Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats).
LC ₅₀	Lethal Concentration 50% – concentration in air which is fatal to 50% of a test population
Page 4 of 5	
August 2019	Product Name: NOFIRNO FIRE SAFE BOARD

NOFIRNO FIRE SAFE BOARD Safety Data Sheet



MSDS (SDS) NZIOC STEL TWA UN Number	(usually rats) Material Safety Data Sheet (or Safety Data Sheet) New Zealand Inventory of Chemicals Short Term Exposure Limit - The maximum airborne concentration of a chemical or biological agent to which a worker may be exposed in any 15 minute period, provided the TWA is not exceeded Time Weighted Average – generally referred to WES averaged over typical work day (usually 8 hours) United Nations Number
WES	Workplace Exposure Standard - The airborne concentration of a biological or chemical agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a week). The WES relates to exposure that has been measured by personal monitoring using procedures that gather air samples in the worker's breathing zone.
References	
Data	Unless otherwise stated comes from the EPA HSNO chemical classification information database (CCID).
Controls	EPA notices, www.epa.govt.nz, Health and Safety at Work (Hazardous Substances) Regulations 2017, www.legislation.govt.nz
WES	The latest NZ Workplace Exposure Standards, published by WorkSafe NZ and available on their web site – www.worksafe.govt.nz.
Other References:	Suppliers SDS, EU ECHA, ingredients SDS's, ChemIDplus
Review	
Date August 2019	Reason for review Not applicable – new SDS

Disclaimer

This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely HSNO classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological). This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email info@datachem.co.nz or phone: +64 9 940 30 80.

