

Rise-Rise/Ultra Rubber Sleeves and Strips

Safety Data Sheet

1.	Identification of Substance & Company
Product	
Product name Other names Product codes HSNO approval Approval description UN number DG class Proper Shipping Name Packaging group Hazchem code Uses	Rise-Rise/Ultra Rubber Sleeves and Strips NA NA NA NA NA NA NA NA NA Rubber sleeves and strips
Company Details	
Company Address Telephone Website	Beele Australasia Itd Unit D 156 Bush Road Rosedale , Auckland 0632 New Zealand +64 9 447 1728 www.beele.co.nz

Hazard Identification

Approval in New Zealand

This product is not considered hazardous under the Hazardous Substances and New Organisms Act (HSNO).

2.

Hazard Statements

Classes none SYMBOLS none

Other Classification

There are no other classifications that are known to apply. **Precautionary Statements**

3.

none

Composition / Information on Ingredients

Component	CAS/ Identification	Conc (%)
Ethylene vinyl acetate polymer with fire retardant fillers	mixture	100%
This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely.		

4

First Aid

General Information

Page 1 of 5

July 2019

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been harmed or irritated by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency service).

Recommended first aid facilities	Ready access to running water is recommended.
Exposure	
Swallowed	The product is not considered harmful if swallowed. In case of persistent symptoms, contact the National Poisons Centre or a Doctor.
Eye contact	If product gets in eyes, wash material from them with running water for several minutes. If symptoms persist, seek medical advice.
Skin contact	This product is non-irritating to skin. No further measures should be required.
Inhaled	Generally, inhalation of vapours is unlikely to result in adverse health effects. If coughing, dizziness or shortness of breath is experienced, remove the patient to fresh air immediately. If patient is unconscious, place in the recovery position (on the side) for transport and contact a doctor.
Advice to Doctor	
Treat symptomatically	



	5. Firefighting Measures		
Fire and explosion hazards:	There are no specific risks for fire/explosion for this chemical. It is combustible at		
	temperatures >400°C.		
Suitable extinguishing	Carbon dioxide, extinguishing powder or water jet. Fight larger fires with water jet or		
substances:	alcohol resistant foam.		
Unsuitable extinguishing substances:	Unknown.		
Products of combustion:	Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water.		
	May form toxic mixtures in air and may accumulate in sumps, pits and other low-lying		
	spaces, forming potentially explosive mixtures.		
Protective equipment:	No special measures are required.		
Hazchem code:	NA		
	6. Accidental Release Measures		
Containment	In all cases design storage to prevent discharge to storm water.		
Emergency procedures	If a significant spill occurs:		
	Stop leak if safe/necessary; Isolate area. Collect spill – see below; Transfer to container		
Clean-up method	for disposal. Dispose of according to guidelines below (Section 13). Collect and seal in properly labelled containers or drums for disposal. If contamination of		
olean-up methou	crops, sewers or waterways has occurred advise local emergency services.		
Disposal	Collect recoverable material into labelled containers for recycling or salvage. Recycle		
	containers wherever possible. This material may be suitable for approved landfill.		
Precautions	Dispose of only in accord with all regulations.		
Precautions	No special protective clothing is normally necessary.		
	7. Storage & Handling		
0 .			
Storage	Avoid storage of harmful substances with food. Containers should be kept closed in order to minimise contamination. Keep from extreme heat and open flames. Avoid		
	contact with incompatible substances as listed in Section 10.		
Handling	Keep exposure to a minimum, and minimise the quantities kept in work areas. See		
	section 8 with regard to personal protective equipment requirements.		
8.	Exposure Controls / Personal Protective Equipment		
Workplace Exposure Standards	VES) has not been established by WorkSafe NZ for this product. There is a general limit of		
	and 10mg/m ³ for inhalable particulates when limits have not otherwise been established.		
NZ Workplace Ingredien			
	ients listed		
Engineering Controls			
	In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far		
	applying the hierarchy of control required by the Health and Safety at Work Act (2015) and neral Risk and Workplace Management) Regulations 2016. Exposure can be reduced by		
the Health and Safety at Work (Ge process modification, use of local e	neral Risk and Workplace Management) Regulations 2016. Exposure can be reduced by exhaust ventilation, capturing substances at the source, or other methods. If you believe air		
the Health and Safety at Work (Ge process modification, use of local e borne concentrations of mists, dus	neral Risk and Workplace Management) Regulations 2016. Exposure can be reduced by		
the Health and Safety at Work (Ge process modification, use of local e borne concentrations of mists, dus Personal Protective Equipment	neral Risk and Workplace Management) Regulations 2016. Exposure can be reduced by exhaust ventilation, capturing substances at the source, or other methods. If you believe air ts or vapours are high, you are advised to modify processes or increase ventilation.		
the Health and Safety at Work (Ge process modification, use of local e borne concentrations of mists, dus Personal Protective Equipment Eyes	neral Risk and Workplace Management) Regulations 2016. Exposure can be reduced by exhaust ventilation, capturing substances at the source, or other methods. If you believe air ts or vapours are high, you are advised to modify processes or increase ventilation. Protective eyewear is not normally necessary when using this product.		
the Health and Safety at Work (Ge process modification, use of local e borne concentrations of mists, dus Personal Protective Equipment	neral Risk and Workplace Management) Regulations 2016. Exposure can be reduced by exhaust ventilation, capturing substances at the source, or other methods. If you believe air ts or vapours are high, you are advised to modify processes or increase ventilation.		

Respiratory

Respirator is not required under normal use. Ensure adequate natural ventilation. If product is being used in confined conditions, the use of a mask or respirator may be preferred.

be checked for tears or holes before use.

WES Additional Information



		9. Physical & Chemical Properties
Appearan	ice	grey rubber
Odour		light odour
рН		no data
Vapour p		no data
Viscosity		no data
Boiling po		do data
Volatile m		no data
	/ melting point	gets sticky at temperatures above 70°C
Solubility		insoluble in water
	gravity / density	1.35g/cm ³
Flammabi		LOI index 45-55%
	f explosion	not explosive
Auto-igni	tion temperature	no data
	ower flammable limits	no data
Corrosive	eness	non corrosive
		10. Stability & Reactivity
Stability		Stable
	ns to be avoided	Containers should be kept closed in order to avoid contamination. Keep from extreme
		heat and open flames. Do not freeze the product.
	ible groups	none known
Substanc	e Specific	none known
Incompat	ibility	
Hazardou	s decomposition	none known
products		
Hazardou	s reactions	none known
		11. Toxicological Information
IF IN EYE IF ON SKI IF INHALE	OWED: no known effect. S: not irritating. IN: does not result in skin ED: no known effects. CTOXICITY: no known ef	irritation.
Sunnortin	na Data	
		Using LD ₅₀ 's for ingredients, the estimated D ₅₀ (oral, rat) for the mixture is >5000 mg/kg
Supportir Acute	Oral	Using LD ₅₀ 's for ingredients, the estimatedLD ₅₀ (oral, rat) for the mixture is $>5,000$ mg/kg.
		Using LD_{50} 's for ingredients, the estimated LD_{50} (dermal, rat) for the mixture is >5000
	Oral Dermal	Using LD_{50} 's for ingredients, the estimated LD_{50} (dermal, rat) for the mixture is >5000 mg/kg.
	Oral	Using LD_{50} 's for ingredients, the estimated LD_{50} (dermal, rat) for the mixture is >5000 mg/kg. Using LC_{50} 's for ingredients, the calculated LC_{50} (inhalation, rat) for the mixture is
	Oral Dermal Inhaled	Using LD ₅₀ 's for ingredients, the estimated LD ₅₀ (dermal, rat) for the mixture is >5000 mg/kg. Using LC ₅₀ 's for ingredients, the calculated LC ₅₀ (inhalation, rat) for the mixture is >5mg/L.
	Oral Dermal	Using LD_{50} 's for ingredients, the estimated LD_{50} (dermal, rat) for the mixture is >5000 mg/kg. Using LC_{50} 's for ingredients, the calculated LC_{50} (inhalation, rat) for the mixture is
	Oral Dermal Inhaled Eye	Using LD ₅₀ 's for ingredients, the estimated LD ₅₀ (dermal, rat) for the mixture is >5000 mg/kg. Using LC ₅₀ 's for ingredients, the calculated LC ₅₀ (inhalation, rat) for the mixture is >5mg/L. The mixture is not considered to be an eye irritant. The mixture is not considered to be a skin irritant.
Acute	Oral Dermal Inhaled Eye Skin Sensitisation	Using LD ₅₀ 's for ingredients, the estimated LD ₅₀ (dermal, rat) for the mixture is >5000 mg/kg. Using LC ₅₀ 's for ingredients, the calculated LC ₅₀ (inhalation, rat) for the mixture is $>5mg/L$. The mixture is not considered to be an eye irritant. The mixture is not considered to be a skin irritant. No ingredient present at concentrations > 0.1% is considered a sensitizer.
Acute	Oral Dermal Inhaled Eye Skin Sensitisation Mutagenicity	Using LD ₅₀ 's for ingredients, the estimated LD ₅₀ (dermal, rat) for the mixture is >5000 mg/kg. Using LC ₅₀ 's for ingredients, the calculated LC ₅₀ (inhalation, rat) for the mixture is $>5mg/L$. The mixture is not considered to be an eye irritant. The mixture is not considered to be a skin irritant. No ingredient present at concentrations > 0.1% is considered a sensitizer. No ingredient present at concentrations > 0.1% is considered a mutagen.
Acute	Oral Dermal Inhaled Eye Skin Sensitisation	Using LD ₅₀ 's for ingredients, the estimated LD ₅₀ (dermal, rat) for the mixture is >5000 mg/kg. Using LC ₅₀ 's for ingredients, the calculated LC ₅₀ (inhalation, rat) for the mixture is $>5mg/L$. The mixture is not considered to be an eye irritant. The mixture is not considered to be a skin irritant. No ingredient present at concentrations > 0.1% is considered a sensitizer.
Acute	Oral Dermal Inhaled Eye Skin Sensitisation Mutagenicity Carcinogenicity	Using LD ₅₀ 's for ingredients, the estimated LD ₅₀ (dermal, rat) for the mixture is >5000 mg/kg. Using LC ₅₀ 's for ingredients, the calculated LC ₅₀ (inhalation, rat) for the mixture is $>5mg/L$. The mixture is not considered to be an eye irritant. The mixture is not considered to be a skin irritant. No ingredient present at concentrations > 0.1% is considered a sensitizer. No ingredient present at concentrations > 0.1% is considered a mutagen. No ingredient present at concentrations > 0.1% is considered a carcinogen. No ingredient present at concentrations > 0.1% is considered a carcinogen. No ingredient present at concentrations > 0.1% is considered a reproductive or
Acute	Oral Dermal Inhaled Eye Skin Sensitisation Mutagenicity Carcinogenicity Reproductive / Developmental	Using LD ₅₀ 's for ingredients, the estimated LD ₅₀ (dermal, rat) for the mixture is >5000 mg/kg. Using LC ₅₀ 's for ingredients, the calculated LC ₅₀ (inhalation, rat) for the mixture is $>5mg/L$. The mixture is not considered to be an eye irritant. The mixture is not considered to be a skin irritant. No ingredient present at concentrations > 0.1% is considered a sensitizer. No ingredient present at concentrations > 0.1% is considered a mutagen. No ingredient present at concentrations > 0.1% is considered a carcinogen. No ingredient present at concentrations > 0.1% is considered a reproductive or developmental toxicant or have any effects on or via lactation.
Acute	Oral Dermal Inhaled Eye Skin Sensitisation Mutagenicity Carcinogenicity Reproductive / Developmental Systemic	Using LD ₅₀ 's for ingredients, the estimated LD ₅₀ (dermal, rat) for the mixture is >5000 mg/kg. Using LC ₅₀ 's for ingredients, the calculated LC ₅₀ (inhalation, rat) for the mixture is $>5mg/L$. The mixture is not considered to be an eye irritant. The mixture is not considered to be a skin irritant. No ingredient present at concentrations > 0.1% is considered a sensitizer. No ingredient present at concentrations > 0.1% is considered a mutagen. No ingredient present at concentrations > 0.1% is considered a carcinogen. No ingredient present at concentrations > 0.1% is considered a carcinogen. No ingredient present at concentrations > 0.1% is considered a reproductive or
Acute	Oral Dermal Inhaled Eye Skin Sensitisation Mutagenicity Carcinogenicity Reproductive / Developmental	Using LD ₅₀ 's for ingredients, the estimated LD ₅₀ (dermal, rat) for the mixture is >5000 mg/kg. Using LC ₅₀ 's for ingredients, the calculated LC ₅₀ (inhalation, rat) for the mixture is $>5mg/L$. The mixture is not considered to be an eye irritant. The mixture is not considered to be a skin irritant. No ingredient present at concentrations > 0.1% is considered a sensitizer. No ingredient present at concentrations > 0.1% is considered a mutagen. No ingredient present at concentrations > 0.1% is considered a carcinogen. No ingredient present at concentrations > 0.1% is considered a reproductive or developmental toxicant or have any effects on or via lactation. No ingredient present at concentrations > 1% is considered a target organ toxicant.
Acute	Oral Dermal Inhaled Eye Skin Sensitisation Mutagenicity Carcinogenicity Reproductive / Developmental Systemic Aggravation of	Using LD ₅₀ 's for ingredients, the estimated LD ₅₀ (dermal, rat) for the mixture is >5000 mg/kg. Using LC ₅₀ 's for ingredients, the calculated LC ₅₀ (inhalation, rat) for the mixture is $>5mg/L$. The mixture is not considered to be an eye irritant. The mixture is not considered to be a skin irritant. No ingredient present at concentrations > 0.1% is considered a sensitizer. No ingredient present at concentrations > 0.1% is considered a mutagen. No ingredient present at concentrations > 0.1% is considered a carcinogen. No ingredient present at concentrations > 0.1% is considered a reproductive or developmental toxicant or have any effects on or via lactation. No ingredient present at concentrations > 1% is considered a target organ toxicant. No ingredient present at concentrations > 1% is considered a target organ toxicant. No ingredient present at concentrations > 1% is considered a target organ toxicant.
Acute	Oral Dermal Inhaled Eye Skin Sensitisation Mutagenicity Carcinogenicity Reproductive / Developmental Systemic Aggravation of	Using LD ₅₀ 's for ingredients, the estimated LD ₅₀ (dermal, rat) for the mixture is >5000 mg/kg. Using LC ₅₀ 's for ingredients, the calculated LC ₅₀ (inhalation, rat) for the mixture is $>5mg/L$. The mixture is not considered to be an eye irritant. The mixture is not considered to be a skin irritant. No ingredient present at concentrations > 0.1% is considered a sensitizer. No ingredient present at concentrations > 0.1% is considered a mutagen. No ingredient present at concentrations > 0.1% is considered a carcinogen. No ingredient present at concentrations > 0.1% is considered a reproductive or developmental toxicant or have any effects on or via lactation. No ingredient present at concentrations > 1% is considered a target organ toxicant.
Acute Chronic Summary	Oral Dermal Inhaled Eye Skin Sensitisation Mutagenicity Carcinogenicity Reproductive / Developmental Systemic Aggravation of existing conditions	 Using LD₅₀'s for ingredients, the estimated LD₅₀ (dermal, rat) for the mixture is >5000 mg/kg. Using LC₅₀'s for ingredients, the calculated LC₅₀ (inhalation, rat) for the mixture is >5mg/L. The mixture is not considered to be an eye irritant. The mixture is not considered to be a skin irritant. No ingredient present at concentrations > 0.1% is considered a sensitizer. No ingredient present at concentrations > 0.1% is considered a mutagen. No ingredient present at concentrations > 0.1% is considered a carcinogen. No ingredient present at concentrations > 0.1% is considered a reproductive or developmental toxicant or have any effects on or via lactation. No ingredient present at concentrations > 1% is considered a target organ toxicant. None known.
Acute Chronic Summary	Oral Dermal Inhaled Eye Skin Sensitisation Mutagenicity Carcinogenicity Reproductive / Developmental Systemic Aggravation of existing conditions	Using LD ₅₀ 's for ingredients, the estimated LD ₅₀ (dermal, rat) for the mixture is >5000 mg/kg. Using LC ₅₀ 's for ingredients, the calculated LC ₅₀ (inhalation, rat) for the mixture is $>5mg/L$. The mixture is not considered to be an eye irritant. The mixture is not considered to be a skin irritant. No ingredient present at concentrations > 0.1% is considered a sensitizer. No ingredient present at concentrations > 0.1% is considered a mutagen. No ingredient present at concentrations > 0.1% is considered a carcinogen. No ingredient present at concentrations > 0.1% is considered a reproductive or developmental toxicant or have any effects on or via lactation. No ingredient present at concentrations > 1% is considered a target organ toxicant. No ingredient present at concentrations > 1% is considered a target organ toxicant. No ingredient present at concentrations > 1% is considered a target organ toxicant.
Acute Chronic Summary	Oral Dermal Inhaled Eye Skin Sensitisation Mutagenicity Carcinogenicity Reproductive / Developmental Systemic Aggravation of existing conditions	 Using LD₅₀'s for ingredients, the estimated LD₅₀ (dermal, rat) for the mixture is >5000 mg/kg. Using LC₅₀'s for ingredients, the calculated LC₅₀ (inhalation, rat) for the mixture is >5mg/L. The mixture is not considered to be an eye irritant. The mixture is not considered to be a skin irritant. No ingredient present at concentrations > 0.1% is considered a sensitizer. No ingredient present at concentrations > 0.1% is considered a mutagen. No ingredient present at concentrations > 0.1% is considered a carcinogen. No ingredient present at concentrations > 0.1% is considered a reproductive or developmental toxicant or have any effects on or via lactation. No ingredient present at concentrations > 1% is considered a target organ toxicant. None known.

Supporting Data	
Aquatic	Using EC ₅₀ 's for ingredients, the estimated EC ₅₀ for the mixture is > 100 mg/L.
Bioaccumulation	No data
Degradability	Product is not biodegradable.
Soil	No evidence of soil toxicity.
Terrestrial vertebrate	Not considered ecotoxic towards terrestrial vertebrates (see acute toxicity)
Terrestrial invertebrate	No evidence of toxicity towards terrestrial invertebrates.
Biocidal	no data
Page 3 of 5	



Environmental effect levels	No EELs are available for this mixture or ingredients
	13. Disposal Considerations
Restrictions	There are no product-specific restrictions, however, local council and resource consent conditions may apply, including requirements of trade waste consents.
Disposal method	Disposal of this product must comply with the Hazardous Substances (Disposal) Notice 2017 and the requirements of the Resource Management Act for which approval should be sought from the Regional Authority.
Contaminated packaging	Disposal of contaminated packaging must comply with the Hazardous Substances (Disposal) Notice 2017 clause 12. Ensure that the package is renedered incapable of containing any substance and is disposed in a manner that is consistent with the requirements of the substance it contained and the material of the package. If possible reuse or recycle packaging.

		14. Transport Information		
Land Transport Rule: Dangerous Goods 2005 - NZS 5433:2007				
There are no specifi	c restrictions fo	r this product (not a dangerous good).		
UN number:	NA	Proper shipping name:	NA	
Class(es)	NA	Packing group:	NA	
Precautions:	NA	Hazchem code:	NA	

15. Regulatory Information

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO). Approval code: non hazardous, non hazardous. All ingredients appear on the New Zealand Inventory of Chemicals NZIoC.

Specific Controls

Key workplace requirements are:

7 1 1	
SDS	Not required (non hazardous), but best practice to have the SDS available.
Inventory	An inventory of all hazardous substances must be prepared and maintained.
Packaging	All hazardous substances should be appropriately packaged including substances that have been decanted, transferred or manufactured for own use or have been supplied
Labelling	Must comply with the Hazardous Substances (Labelling) Notice 2017.
Emergency plan	Not required.
Certified handler	Not required.
Tracking	Not required.
Bunding & secondary containment	Not required.
Signage	Not required.
Location compliance certificate	Not required.
Flammable zone	Not required.
Fire extinguisher	Not required.
Note: The above workplace requireme	nts apply if only this particular substance is present. The complete set of controls for a

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.

	16. Other Information
Abbreviations	
Approval Code	not applicable – non hazardous.
CAS Number	Unique Chemical Abstracts Service Registry Number
EC ₅₀	Ecotoxic Concentration 50% – concentration in water which is fatal to 50% of a test population (e.g. daphnia, fish species)
EPA	Environmental Protection Authority (New Zealand)
GHS	Globally Harmonised System of Classification and Labelling of Chemicals
HAZCHEM Code	Emergency action code of numbers and letters that provide information to emergency services, especially fire fighters
HSNO	Hazardous Substances and New Organisms (Act and Regulations)
IARC	International Agency for Research on Cancer
LEL/UEL	Lower Explosive Limit/ Upper Explosive Limit
Page 4 of 5 July 2019	Product Name: Rise-Rise/Ultra Rubber Sleeves and Strips



LD ₅₀	Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats).
LC ₅₀	Lethal Concentration 50% - concentration in air which is fatal to 50% of a test population
MSDS (SDS) NZIoC STEL	(usually rats) Material Safety Data Sheet (or Safety Data Sheet) New Zealand Inventory of Chemicals Short Term Exposure Limit - The maximum airborne concentration of a chemical or biological agent to which a worker may be exposed in any 15 minute period, provided the TWA is not exceeded
TWA	Time Weighted Average – generally referred to WES averaged over typical work day (usually 8 hours)
UN Number WES	United Nations Number Workplace Exposure Standard - The airborne concentration of a biological or chemical agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a week). The WES relates to exposure that has been measured by personal monitoring using procedures that gather air samples in the worker's breathing zone.
References	
Data	Unless otherwise stated comes from the EPA HSNO chemical classification information database (CCID).
Controls	EPA notices, www.epa.govt.nz, Health and Safety at Work (Hazardous Substances) Regulations 2017, www.legislation.govt.nz
WES	The latest NZ Workplace Exposure Standards, published by WorkSafe NZ and available on their web site – www.worksafe.govt.nz.
Other References:	Suppliers SDS, EU ECHA, ingredients SDS's, ChemIDplus
Review	
Date July 2019	Reason for review Not applicable – new SDS

Disclaimer

This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely HSNO classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological). This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email info@datachem.co.nz or phone: +64 9 940 30 80.

